THE HOWARD COUNTY DEPARTMENT OF EDUCATION 10910 Route 108, Ellicott City, Maryland 21042 (410) 313 6600

IMPROVEMENTS TO SCHOOL SITES OR SCHOOL FACILITIES

PROPOSAL

December 1, 2016

To:

Director of School Facilities

From:

Molly Ketterer

Bushy Park ES Principal

Eileen Dietz

Bushy Park PTA President

Tamara Westhoff

Bushy Park Past PTA President

Bushy Park Elementary 14601 Carrs Mill Road Glenwood, MD 21738

We submit for your consideration and advancement if appropriate a proposal affecting the

Water Fountains of Bushy Park ES

This proposal may be described as follows:

- 1. What is the intent of the proposal?
 - To install inserts for six water fountains that enable water bottles to be filled.
- 2. What form will it take (attach sketch/drawings or detailed plan)?
 - The insert fits with our existing water fountains.
 - Sketch included
- 2. What precautions will ensure health and safety?
 - HCPSS Maintenance will be involved in installation.
 - BPES Custodial Team members will be trained on upkeep.
 - Staff, students and community members will be trained on use of the water fountain.
 - An explanation of its features will be shared at community events.
 - Details for safe use will be posted near every water fountain.

- 3. What security is provided against vandalism and unauthorized use or occupancy?
 - Water fountain insert is bolted to water fountain.
 - Security cameras have a view of each water fountain.
- 5. How will the improvement relate practically and aesthetically to existing structures and landscaping?
 - Use of the water fountain inserts will make it easier for staff and students to be hydrated during the school day.
 - Many of our students bring water bottles to school and spill water when attempting to refill them using classroom or hallway water fountains.
 - We are intending to purchase water bottles for every student so that there is equal access to this feature.
 - We want to feature this as a Health and Wellness feature of our Green School Initiative.

- 6. Estimate probable costs both initial and operating, together with source(s) of funding.
 - o See Donation Sheet from PTA
- 7. How much labor will be required and who will provide it?
 - We will seek HCPSS Maintenance for installation.
- 8. What amount of time will be needed to do the job?
 - In discussion with Folly Quarter Middle School, this was done within one day.

In submitting this proposal, I/we know and understand the policy of the Howard County Board of Education entitled "Improvements to school Sites or School Facilities" and will support its implementation relative to this project should my/our request be approved.

Submitted:

Bushy Park ESP rincipal

On behalf of PTA Leadership

ACTION RECORD

1.	Proposal received on by	
	(Date)	(Name)
2.	Evaluation of proposal completed	, by (check as appropriate):
	Director, School Facilities	(date)
	Manager, Safety, Environment and Risk Management	(date)
	Chief Operating Officer	, , ,
	Project approved not approved Conditions (if any):	
3.	Project schedule:	
	Begun: Completed:	
	Notes (if any):	

The Howard County Public School System Acceptance of Donations
Sizeo / allonor informacions as a completed by the School/Department in the state of the school of t
Name: Bushy Park Elen. PTA Phone: 40.313,5500
Street Address: 1460 Cars Mill Rd. City: Clanuard
State/Zip: MD 21738
Donation/Est. Value: #2,808.00 Cash/Check Non Cash
Purpose of Donation: Water Stations to attach to existing fountains to fill water bettles.
Recipient: Buship Park Clementian Program/Dept: Six water Sountains (Same as in Forms)
Completed by the Principal/Department Manager All donations must be accepted by the principal or program department in accordance with the criteria for acceptance outlined in Policy 4010 - Donations.
Donation meets Board of Education criteria for acceptance. Yes No Signature Title Date 1 Clark Donations Of \$500 OR LESS REQUIRE NO FURTHER ACTION FOR ACCEPTANCE
Step Central Child Approvate in equitor from Corrations over 5000. Submitted by Principal/Department Manager to Appropriate Office as Defined Below. A donation consisting of an improvement to real property or having an estimated value greater than \$500 must be reviewed, inspected/tested by Central Office staff and recommended to the Board of Education for acceptance.
Donation Books/Media Equipment Educational Supplies Computers/Technology Equipment Office Responsible for Review Media and Educational Technology Curriculum, Instruction, and Administration Technology Office Safety, Environment and Risk Management School Facilities Finance Office Physical Education Equipment Office Responsible for Review Media and Education and Administration Technology Office Safety, Environment and Risk Management School Facilities Finance Office Physical Education Equipment Physical/Health Education and Dance
Denation has been actiewed and as necontine model to this person distribution for a second and the second and t
A unitristriative Director/processor/ on Deparament Head Accreve Conwarded by Central Office for Einal Approval and Preparation of Board Reports - June Dornal Converse - Local
Administrative Directors/Program/Department Heads - Submit Monthly Board Devalion Reports - in the standard of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Specialist to the Board of Education - In the Board of Education -

FIN-Form 230

ponied r/oe/14

Ver 10.15

Invoice

ProDryers@om.

39201 Schoolcraft Rd.

Suite B7

Livonia, MI 48150

Phone # 888-50-DRYER

Fax # 734-943-5906

CustomerService@ProDryers.com http://www.ProDryers.com

Date	Invoice #
6/23/2016	49427

Bill To

TAMARA WESTHOFF 3923 CLARKS MEADOW DR GLENWOOD MD 21738

Ship To

BUSHY PARK ELEMENTARY SCHOOL ATTN: PTA 14601 CARRS MILL RD GLENWOOD, MD 21738 410-313-5500

_						
	P.O. Number	Terms	Rep	Ship	Via	1
	SMS/PO21377	Visa	Drink		UPS	

The state of the s	TemCode /	Description Price Each	**************************************
6 O-PV	WEBF	RETROFIT KIT, OASIS PWEBF, HANDS FREE VERSAFILLER FOR 468.00	2,808.00
		RETROFIT KIT, OASIS PWEBF, HANDS FREE VERSAFILLER FOR 468,00 PBAC Out-of-state sale, exempt from salestax	0.00
	İ		
	1		
	ļ		
			·
		Adam to the state of the state	
<u> </u>	<u> </u>		

	\$2,808.00
Total	

